



REDI-FLANGE™

Model RFC

UNITED BRAND

ANSI B16.1 Class 125
ANSI B16.5 Class 150


**No Welding!
No Threading!**

STANDARDS:

Ductile Iron - ASTM A536
Grade 65-45-12. Drilling to
ANSI B16.1 - 125 lb.
ANSI B16.5 - 150 lb.

SET SCREW: AISI
steel. Tensile 160,000
psi minimum.

GASKET: SBR (BUNA-N).



HYDROSTATIC TEST

PRESSURE:

MODEL - RFC-2 - 125 lb./150 lb.
2 in. - 8 in. 600 psi (Rated 200 psi)
10 in. - 12 in. 525 psi (Rated 175 psi)

MODEL - RFC-4 - 125 lb./150 lb.
3 in. - 12 in. 750 psi (Rated 250 psi)
14 in. - 24 in. 300 psi (Rated 175 psi)

The *Redi-Flange* joins valves, fittings and equipment with integral flanged ends to plain end pipe, without the need of pipe end preparation. Absolutely no threading, welding, or grooving is necessary. The working principle of the *Redi-Flange* is relatively simple. Slide the flange over plain end pipe and follow it with a standard mechanical joint gasket. When the *Redi-Flange* is brought to mate against an existing flange, and the flange bolts are tightened, a compression type seal is created against the mating flange, and pipe surface. End restraint is provided when the set screws are tightened.

Nom. Pipe Size	Part No.	D.I. Pipe O.D. RFC-2-D	Steel Pipe O.D. RFC-2-S	Flange O.D.	Bolt Circle	Bolt Hole Dia.	Set Screws		Wgt. Approx.
							No.	Size	
2	RFC-201	2.38	2.50	6	4 3/4	3/4	2	1/2 x 1	3.5
2 1/2	RFC-202	-	2.88	7	5.5	3/4	4	1/2 x 1	4
*3	RFC-203	3.96	3.50	7 1/2	6	3/4	4	1/2 x 1	5
*4	RFC-204	4.80	4.50	9	7 1/2	3/4	4	1/2 x 1	8
5	RFC-205	-	5.56	10	8 1/2	7/8	8	1/2 x 1	9
*6	RFC-206	6.90	6.625	11	9 1/2	7/8	8	1/2 x 1	10
*8	RFC-208	9.05	8.625	13 1/2	11 3/4	7/8	8	5/8 x 1 1/4	17
*10	RFC-210	11.10	10.75	16	14 1/4	1	12	5/8 x 1 1/4	22
12	RFC-212	13.20	12.75	19	17	1	12	5/8 x 1 1/4	31

Nom. Pipe Size	Part No.	D.I. Pipe O.D. RFC-4-D	Steel Pipe O.D. RFC-4-S	Flange O.D.	Bolt Circle	Bolt Hole Dia.	Set Screws		Wgt. Approx.
							No.	Size	
*3	RFC-403	3.96	3.50	7 1/2	6	3/4	4	1/2 x 1	8
*4	RFC-404	4.80	4.50	9	7 1/2	3/4	4	1/2 x 1	11
*6	RFC-406	6.90	6.625	11	9 1/2	7/8	8	5/8 x 1 1/4	14
*8	RFC-408	9.05	8.625	13 1/2	11 3/4	7/8	8	5/8 x 1 1/4	21
*10	RFC-410	11.10	10.75	16	14 1/4	1	12	5/8 x 1 1/4	38
12	RFC-412	13.20	12.75	19	17	1	12	5/8 x 1 1/4	56
14	RFC-414	15.30	NA	21	18 3/4	1 1/8	12	5/8 x 1 1/4	70
16	RFC-416	17.40	NA	23 1/2	21 1/4	1 1/8	16	5/8 x 1 1/4	79
18	RFC-418	19.50	NA	25	22 3/4	1 1/4	16	3/4 x 2	90
20	RFC-420	21.60	NA	27 1/2	25	1 1/4	20	3/4 x 2	145
24	RFC-424	25.80	NA	32	29 1/2	1 3/8	20	3/4 x 2	175

*Denotes UL Listed

Form No. FP0022

Fab pipe inc.

21425 147th Ave. N., Rogers, MN 55374
Tel: (763) 428-2259 • Fax: (763) 428-4978

